AUTHOR INDEX

to Volume 137, May–August 1994

Adams, J., 903
Adler, P. N., 829
Ahnn, J., 483
Akins, R. A., 731
Alani, E., 19
Albertioni, F., 613
Allen, K. M., 257
Anderson, M. L., 1111
Anderson, P., 771
Anderson, P. A., 867
Andersson, L., 1089
Andersson, S., 513
Arganoza, M. T., 731
Asai, T., 895
Awasaki, T., 165

Ball, E., 151
Ballard, J., 803
Bearn, A. G., 1
Bell, J. A., 845
Berryman, T., 573
Bethke, B. D., 439
Bhadra, U., 1057
Bingham, P. M., 139
Birchler, J. A., 1057
Bisson, L. F., 957
Blackburn, E., 455
Blank, T. E., 689
Bovenhuis, H., 267
Brizuela, B. J., 803
Brown, T., 573
Brown, W. M., 233
Bruns, P. J., 95
Bullard, S. A., 5
Bumbulis, M., 837
Bushman, V. L., 689

Cabot, E. L., 175
Carlson, K., 613
Carlson, M., 49
Casavant, N. C., 565
Casper, M., 875
Cassidy-Hanley, D., 95
Chapon, C., 647
Charlesworth, B., 815
Charlton, J., 829
Chary, P., 723
Chesser, R. K., 1147
Chou, T.-B., 139
Chovnick, A., 1019
Chowdhary, B. P., 1089
Clark, S. G., 987
Clark, S. H., 1019
Clifford, R., 531
Clutterbuck, A. J., 79
Collins, J. J., 771
Coons, D. M., 957
Cox, B. S., 659
Cramton, S., 5
Cramton, S. E., 1039
Crawford, A. M., 573
Cripps, R. M., 151
Crow, J. F., 891

Daehler, L. L., 233
Dagkesamanskaya, A. R., 671
Damerval, C., 289
Darcy, P. K., 977
Davis, A. W., 175, 191
Davison, A., 361
DeMarini, D. M., 337
de Ruiter, B. L. A., 1071
de Vienne, D., 289
Dijkmans, R., 353
Dillon, D., 723
Dodds, K. G., 573
Doel, S. M., 659
Dollard, C., 647
Dove, W. F., 339
Dykstra, C. C., 743

Ede, A. J., 573
Eisenmann, D. M., 647
Elfring, L., 803
Ellegren, H., 1089

Fan, H.-y., 945
Fauron, C. M.-R., 875
Favor, J., 1079
Feldmaier-Fuchs, G., 243
Finnerty, V., 791
Fire, A., 483
Fisher, P. R., 977
Fletcher, L. D., 743
Folley, L. S., 369
Fong, N. M., 957
Fox, T. D., 369
Francis, D. M., 581
Fredholm, M., 1089
Freriksen, A., 1071
Friedman, J. M., 845

Ganetzky, B., 201
Garrity, D. B., 627
Garrod, A. E., 1
Gebhardt, C., 67
Gems, D. H., 79
Gieffers, W., 67
Gietz, D., 637
Gladstone, J., 211
Golic, K. G., 551
Golin, J., 439
Gottlieb, S., 107
Grattapaglia, D., 1121
Gray, M., 1019
Gustavsson, I., 1089
Guthrie, C., 677

Hamabata, T., 165
Haniford, D. B., 343
Harauz, G., 1019
Hardies, S. C., 565
Heinstra, P. W. H., 1071
Henry, H. M., 573
Henry, S. A., 55
Hersperger, E., 1027
Hey, J., 1049
Heyler, N. K., 87
Hill, D. F., 573
Hilliker, A. J., 1019
Ho, W., 407
Hockman, D., 343
Hoffmann, A. A., 783
Hopper, J. E., 689
Hori, S. H., 165
Horvitz, H. R., 987
Hsu, D. R., 999
Hunsicker, P. R., 845
Hutchings-Crow, L., 5

Jackson, C. L., 423
Jackson, I. J., 845
Jacobs, J. M. E., 303
Jacobsen, E., 303
Jacobs-Lorena, M., 513
Janke, A., 243
Jenkins, N. L., 783
Johansson, M., 1089
Johnson, N. A., 175
Josse, J. M., 289
Juni, N., 165
Junop, M. S., 343

Kamdar, K. P., 791
Kapler, G. M., 455
Kaytor, M. D., 933
Kennison, J. A., 803
Képès, F., 423
Kerr, K., 521
Kilpatrick, M., 521

Kim, S., 5
Kinghorn, B. P., 319
Kirkpatrick, D., 381
Klein, H. L., 945
Kliman, R. M., 1049
Knapp, S. J., 67
Kogoma, T., 895
Kohlwein, S. D., 55
Kolodner, R. D., 19
Kondrashov, A. S., 311
Kramer, J., 139
Kreps, S., 353
Kung, C., 759
Kunz, B. A., 637
Kupîec, M., 41
Kushnirov, V. V., 671

La Jeunesse, D., 1027
Lambertsson, A., 513
Lamping, E., 55
Lang, J. D., 1101
Laski, F. A., 1039
Latter, B. D. H., 509
Lawn, A., 151
Leach, D. R. F., 361
Lebo, C. M., 689
Lee, J., 5
Leonards-Schippers, C., 67
Levine, J. G., 337
Linder, C. H., 613
Linsk, R., 1057
Livingston, D. M., 933
Long, R. M., 689
Lu, X., 987
Lũckl, J., 55
Luk, S. K.-S., 521
Lundquist, S., 5
Lutfiyya, L., 5

Macdonald, P. M., 521
Madhani, H. D., 677
Maguire, M. P., 281
Malone, R. E., 5
Marklund, L., 1089
Matsuda, M., 165
Maurice, A., 289
McCready, S. J., 659
McDonald, J. P., 393
McDowell, J. M., 743
McGinnis, W., 607
McLean, J. R., 201
Meagher, R. B., 743
Meneely, P. M., 467
Mergeay, M., 353
Merriam, J., 513
Merrill, C. J., 201
Meyer, B. J., 999
Michelmore, R. W., 867
Miesel, L., 919
Mims, I. P., 139
Min, J., 731
Miyashita, N. T., 883
Montgomery, G. W., 573
Mori, N., 883
Mortiz, C. C., 233
Mulligan, B. J., 1111
Munz, P., 701
Murti, J. R., 837
Mylin, L. M., 689

Natvig, D. O., 723
Neuhäuser-Klaus, A., 1079
Nguyen-Huynh, A. T., 1057
Nierras, C. R., 659
Nilsson, N.-O., 589
Noonburg, E. G., 191
Novotny, C. P., 709

O'Brien, M. A., 121
Ochoa, O. E., 867
Ohrnberger, J., 731
Okubara, P. A., 867
Orias, E., 455
Orzack, S. H., 211

Pääbo, S., 243
Påhlson, C., 613
Paltauf, F., 55
Park, W. J., 829
Peck, J. R., 597
Penty, J. M., 573
Philley, M. L., 715
Pierson, C. A., 573
Pogson, G. H., 221
Powers, P. A., 201
Preston, R. R., 759

Rabinow, L., 1057
Ray, A., 1101
Ray, S., 1101
Reaume, A. G., 1019
Reenan, R. A. G., 19
Riess, R. W., 281
Rinchik, E. M., 845, 855
Ritter, E., 67
Roberts, M. S., 121
Roberts, S. M., 647
Roche, H. R., 637
Rose, M. D., 407
Rosenzweig, R. F., 903
Roth, J. R., 919
Rothstein, R., 393
Russell, L. B., 845
Ruvkun, G., 107

Sæbøe-Larssen, S., 513
Salamini, F., 67
Sandulache, R., 1079
Schaaper, R. M., 337
Scharloo, W., 1071
Schäfer-Pregl, R., 67
Schimenti, J. C., 837
Schroeder, A. L., 723
Schũpbach, T., 531
Sederoff, R., 1121
Segall, A., 919
Seyfried, T. N., 257
Sharp, R. R., 903
Shearn, A., 1027
Shelton, M. E., 791
Silberman, R., 41
Slatkin, M., 331, 1157
Söderström, J., 613
Smirnov, V. N., 671
Sniegowski, P. D., 815
Söll, T., 589
Solomon, F., 381
Sparrow, J. C., 151
Specht, C. A., 709
Staben, C., 715
Stam, P., 303
Stankis, M. M., 709
Stanton, D. J., 233
Stark, M., 151
Stassen, N. Y., 87
St. Clair, D. A., 581
Stewart, F. M., 1139
Stiekema, W. J., 303
Storfer-Glazer, F. A., 499
Sugg, D. W., 1147
Sunden, S. L. F., 573
Sved, J. A., 509
Swarbrick, P. A., 573

Taghert, P. H., 121
Tamkun, J. W., 803
Taylor, B. H., 581
Ter-Avanesyan, M. D., 671
Theodoris, G., 957
Thomas, D. Y., 967
Thomas, W. K., 243
Tidwell, R. R., 743
Tier, B., 319
Tobari, Y. N., 165
Ton, J., 303
Treves, D. S., 903
Tripoulas, N. A., 1027
Tsunewaki, K., 883
Turgeon, B. G., 751

Ullrich, R. C., 709

Vallen, E. A., 407
Vallier, L. G., 49

van Arendonk, J. A. M., 319
Van Eck, H. J., 303
Vekemans, X., 1157
Vizir, I. Y., 1111
von Haeseler, A., 243

Weller, J. I., 267
Whiteway, M. S., 967
Wilczynska, Z., 977
Wilson, Z. A., 1111
Winey, M., 407
Winston, F., 647
Wood, W. B., 499
Wu, C.-I., 175, 191

Yang, G., 751
Yao, M.-C., 95
Yoder, O. C., 751
Yoshida, K., 165
Young, R. J., 581
Yu, X., 689

Zachar, Z., 139
Zahler, S. A., 627
Zolan, M. E., 87
Zouros, E., 221

SUBJECT INDEX

to Volume 137, May–August 1994

Actin I, gene, *Pneumocystis carinii*, 743
Alcohol dehydrogenase, polymoprhism and carbon-13 fluxes, epistasis and natural selection, *Drosophila*, 1071
Allele
  A^{vy}, genetic instability, *agouti* locus of mouse, 1079
  epidermal growth factor receptor homolog, *Drosophila*, 531
  genealogies, gametophytic self-incompatibility locus, 1157
  multiple, tuber shape in diploid potato, RFLPs, 303
  RAD52 in yeast, temperature sensitivity, repair of DNA double-strand breaks, 933
  tolerance of differences at heterokaryon incompatibility loci, *Neurospora crassa*, 731
Allozyme, RFLP heterozygosities and, growth rate, scallop, 221
Arabidopsis thaliana
  deficiencies in genome, γ-irradiation of pollen, 1111
  sin1 mutation, female fertility, interaction with *mod1*, 1101
Aspergillus nidulans, enhancers of conidiation mutants, 79
Assays
  fluctuation tests, reliability of estimates, mutation rates, 1139
  random amplified polymorphic DNA, genetic linkage maps, *Eucalyptus grandis* and *E. urophylla*, 1121
Associative overdominance hypothesis, allozyme and RFLP heterozygosities, growth rate, scallop, 221

Bacillus subtilis, regulator of transcriptional attenuator, gene mutations, tRNA, 627
Bacteriophage T4, late excursion, suppression, *Escherichia coli* Gro EL or Rho, 613
Brain, mouse, genetic analysis, nucleotide triphosphatase activity, 257
Breeding, values, prediction, use of multiple genetic markers, 319
Brefeldin A-induced lethality, *BFR1*, yeast, 423

Caenorhabditis elegans, 107, 467, 499, 771, 987, 999
Carbon-13, fluxes and alcohol dehydrogenase polymorphism, epistasis and natural selection, *Drosophila*, 1071
Cattle, dairy, quantitative trait loci, mapping, maximum likelihood methodology and milk protein genes as genetic markers, 267
Chiasma, analysis of interference, fission yeast, 701
Chloroplasts, DNA regions of ancestral wheat, molecular variation, 883
Chromatid, analysis of interference, fission yeast, 701
Chromosome 4, mouse
  Brown deletions, 845
  molecular genetics, *Brown* locus region, 855
Chromosomes
  -length polymorphisms, inheritance, *Coprinus cinereus*, 87
  46C region, *FMRFamide* neuropeptide gene, *Drosophila melanogaster*, 121
  conspecific, complex genic interactions in hybrid female sterility, *Drosophila simulans* Clade, 191
  deficiencies on early cleavage patterning, terminal phenotype, *Caenorhabditis elegans* embryos, 499
  polytene, subdivisions 72AB, *brahma* gene of *Drosophila melanogaster*, 803
  third, *Minute* locus encoding ribosomal protein, *Drosophila*, 513
  rearrangements, construction by transduction, nonlethality of non-permissive segment inversions in *Salmonella typhimurium*, 919
Cnemidophorus, mitochondrial DNA, potential to form stem-and-loop structures, coding-region duplications, 233
Cochliobolus heterostrophus, toxin-sensitive transformant, toxin-deficient mutants, 751
Codon
  bias in genes of *Drosophila*, effects of mutation, natural selection, 1049
  mutation in yeast, reduced dosage of genes, ribosomal protein S18, 369
Complementation, mouse chromosome 4, *Brown* locus, 855
Conidiation, mutants in *Aspergillus nidulans*, enhancers, 79
Conversion, gene, mismatch repair, yeast, 19
Coprinus cinereus, inheritance, chromosome-length polymorphisms, 87
Crossing over, homologous synapsis and, maize inversion, 281
Cytoplasm, inheritance, mutation load, vegetative reproduction, 311

Dauer formation, control by *daf-2/daf-16/daf-23*, *Caenorhabditis elegans*, 107
Dictyostelium discoideum, slug phototaxis mutants, genetic analysis, 977
Didelphis virginiana, 243
DNA
  chloroplast, molecular variation, wheat, 883

damage-inducible replication of *Escherichia coli*, role of *ruvA/ruvC/recG* genes, 895
dispersed family of repetitive sequences, transposable element, *Lycopersicon*, 581
double-strand breaks, repair and temperature sensitivity, yeast *RAD52* alleles, 933
heterogeneous region, mapping, Aα mating-type specificities of *Schizophyllum commune*, 709
mismatch repair and genetic recombination, yeast, 19
mitochondrial, potential to form stem-and-loop structures, coding-region duplications, 233
ribosomal, minichromosome, *Tetrahymena thermophila* mutants, defect in developmentally programmed maturation, 455
secondary structure formation, nucleotide sequence changes, *Escherichia coli*, 361
unrepaired heteroduplex, *RAD1 RAD 52*-independent recombination, yeast, 393
Dosage compensation, *Caenorhabditis elegans*, *dpy-30* gene, essential component, 999
Drosophila, 139, 513, 521, 531, 791, 829
Drosophila ananassae, 165
Drosophila melanogaster, 121, 151, 201, 509, 551, 783, 803, 815, 1019, 1027, 1039, 1049, 1057, 1071
Drosophila simulans, 175, 1071
Duplications, coding-region, mitochondrial DNA, potential to form stem-and-loop structures in lizards, 233

Embryogenesis, *Caenorhabditis elegans*, screen for genetic loci, body-wall muscle development, 483
Embryos, *Caenorhabditis elegans*, chromosomal deficiencies, early cleavage patterning and terminal phenotype, 499
Epidermal growth factor, receptor homolog, *Drosophila*, 531
Epistasis
hybrid male sterility, reproduction isolation, *Drosophila simulans* Clade, 175
natural selection and, alcohol dehydrogenase polymorphism and carbon-13 fluxes, *Drosophila*, 1071
Escherichia coli, 361, 613, 791, 895, 903
Eucalyptus grandis, *E. urophylla* and, genetic linkage maps, pseudo-testcross, 1121
Evolution
gene conversion between unlinked sequences, germline of mice, 837
microbial, simple unstructured environment, differentiation in *Escherichia coli*, 903
placental animals, marsupial mitochondrial genome, 243
second type, normal maize mitochondrial genome, 875
sex, beneficial and deleterious mutations, 597

Fertility, female, *sin1* mutation, *Arabidopsis thaliana*, 1101
Fitness, high levels of heterosis, *Drosophila melanogaster*, 509
Fluctuation, tests, reliability of estimates, mutation rates, 1139

Gametophyte, self-incompatibility locus, gene and allelic genealogies, 1157
Garrod, Archibald Edward, reluctant geneticist, 1
Gene
absent/small/homeotic discs1, molecular genetic analysis, *Drosophila melanogaster*, 1027
actin I, *Pneumocystis carinii*, 743
allelic genealogies and, gametophytic self-incompatibility locus, 1157
BFR1, brefeldin A-induced lethality, yeast, 423
bicoid, localization, conservation among *Drosophila* species, 521
brahma, polytene chromosome subdivisions 72AB, *Drosophila melanogaster*, 803
cinnamon, homology to *E. coli* cofactor proteins, rat protein gephyrin, 791
codon bias, effects of mutation and natural selection, *Drosophila*, 1049
conversion between unlinked sequences, germline of mice, 837
COX3, mitochondrial initiation codon mutation, yeast, 369
cut, retrotransposon-induced ectopic expression, *Drosophila ananassae*, 165
daf-2/daf-16/daf-23, control of Dauer formation, *Caenorhabditis elegans*, 107
dep1, yeast mutant with pleiotropic deficiencies, transcriptional activation and repression, 55
Dm, mutants of downy mildew resistance, lettuce, 867
dpy-30, essential component, *Caenorhabditis elegans* dosage compensation machinery, 999
FMRFamide neuropeptide, 46C chromosomal region, *Drosophila melanogaster*, 121
HIS2, recombination hotspot, yeast, 5
HXT4, high-copy suppression of glucose transport defects, yeast, 957
interactions between *CDC31* and *KAR1*, duplication of microtubule organizing center, yeast, 407
inturned, functioning prior to wing hair morphogenesis, regulation of hair polarity and number, 829
long-tract mitotic, conversion in yeast, triparental contribution, 439
meiotic conversion tract length distribution, *rosy* locus, *Drosophila melanogaster*, 1019
mig1 and *ssn* mutations, synergistic release, glucose repression in yeast, 49
milk protein, QTL and maximum likelihood methodology, 267
Mus spretus, shared sequence variants, dispersal within last 1 million years, 565

muscle structure and function, dominant autosomal flightless mutants, *Drosophila melanogaster*, 151
mut-2, Tc5 family of transposable elements, *Caenorhabditis elegans*, 771
mutations for a tRNA, regulator of transcriptional attenuator, *Bacillus subtilis*, 627
product variation, QTL, regulation of genome expression, 289
RAD1 RAD52-independent recombination, unrepaired heteroduplex DNA, yeast, 393
RCC1, overexpression of yeast homologs, α-tubulin mutations, 381
reduced dosages, ribosomal protein S18, codon mutation in yeast, 369
ruvA/ruvC/recG, normal and DNA damage-inducible replication, *Escherichia coli*, 895
SIP1, catabolite repression-specific negative regulator, *Gal* gene expression, 689
SPT8, acidic protein, SPT3 and TATA-binding protein in yeast, 647
Ste18, site-directed mutations, alteration of CAA*X* box in yeast, 967
SUP35
dominant *PNM2*$^-$ mutation, yeast, 659
maintenance of non-Mendelian determinant, yeast, 671
suppressor-of-white-apricot, autoregulation of pre-mRNA splicing, *Drosophila*, 139
Weakner of white, suppression of position effect variegation, *Drosophila melanogaster*, 1057
Genome
Arabidopsis thaliana, deficiencies, γ-irradiation of pollen, 1111
mitochondrial, evolution, placental animals, 243
normal maize mitochondrial, second type, 875
porcine, primary linkage map, low rate of genetic recombination, 1089
regulation of expression, gene product variation, QTL, 289
Gephyrin, rat protein, homology of *E. coli* cofactor protein, *Drosophila* molybdenum cofactor gene *cinnamon*, 791
Germline
mice, gene conversion between unlinked sequences, 837
transformation, *segregation distorter* locus, *Drosophila melanogaster*, 201
Glucose
synergistic release from repression, *mig1* and *ssn* mutations, yeast, 49
transport defects, high-copy suppression by *HXT4*, yeast, 957

Heat, resistance, genetic and maternal variation, *Drosophila* from the field, 783
Heterokaryon, incompatibility locus, allelic differences, *Neurospora crassa*, 731
Heterosis, high levels, *Drosophila melanogaster*, 509
Homeosis, century of, decade of homeoboxes, 607

Inversion
construction of chromosomal rearrangements, transduction, *Salmonella typhimurium*, 919
maize, homologous synapsis, relationship to crossing over, 281
Inversions, cosmopolitan, transposable element numbers, natural population of *Drosophila melanogaster*, 815
γ-Irradiation, pollen, isolation of deficiencies, *Arabidopsis* genome, 1111

Kihara, Hitoshi, Japan's pioneer geneticist, 891

Lactuca sativa
see Lettuce
Lettuce, mutants of downy mildew resistance, 867
Leucine, auxotrophy, poisson-like fluctuation patterns, *Salmonella typhimurium*, 353
Ligands, yeast RNA helicase homolog Prp16 and spliceosomal snRNAs, Prp16 RNA-dependent ATPase, 677
Linkage disequilibrium, growing and stable populations, 331
Lizard, whiptail, mitochondrial DNA, potential to form stem-and-loop structures, coding-region duplications, 233
Locus
agouti, genetic instability, mouse, 1079
body-wall muscle development, embryogenesis, *Caenorhabditis elegans*, 483
Brown, mouse chromosome 4, 845, 855
heterokaryon incompatibility, allelic differences, *Neurospora crassa*, 731
lin-15, encoding of two different proteins, *Caenorhabditis elegans*, 987
Minute, third chromosome, ribosomal protein in *Drosophila*, 513
rosy, meiotic gene conversion tract length distribution, *Drosophila melanogaster*, 1019
segregation distorter, germline transformation, *Drosophila melanogaster*, 201
white eye color, *Weakner of white* gene, suppression of position effect variegation in *Drosophila*, 1057
Lycopersicon, dispersed family of repetitive DNA sequences, transposable elements, 581

Magnesium, defective response, paramecium mutants, 759
Maize
inversion, homologous synapsis, relationship to crossing over, 281
normal mitochondrial genome, second type, evolutionary link, 875
Mapping
dairy cattle quantitative trait loci, maximum likelihood methodology, milk protein genes as genetic markers, 267

germline sequences, polymerase chain reaction, *Tetrahymena thermophila*, 95
heterogeneous DNA region, Aα mating-type specificities, *Schizophyllum commune*, 709
linkage, *Eucalyptus grandis* and *E. urophylla*, pseudo-testcross, 1121
linkage, sheep, parental half-sib families, 573
primary linkage, porcine genome, low rate of genetic recombination, 1089
QTL, resistance to *Phytophthora infestans*, potato, 67
recombination frequency estimates, robustness, intercrosses with dominant markers, 589
use of multiple genetic markers, prediction, breeding values, 319
Maternal effects, genetic and maternal variation, heat resistance, *Drosophila* from the field, 783
Mating
MT a-1 type polypeptide, functional analyses, *Neurospora crassa*, 715
multiple paternity, effective population sizes, 1147
Maximum likelihood estimates, robustness of recombination frequency estimates, intercrosses with dominant markers, 589
Meiosis, gene conversion tract length distribution, *rosy* locus, *Drosophila melanogaster*, 1019
Mice, germline, gene conversion between unlinked sequences, 837
Microtubule, organizing center, interactions between *CDC31* and *KAR1*, yeast, 407
Microtubules, α-tubulin mutations, overexpression of yeast homologs, *RCC1*, 381
Mildew, downy, resistance, lettuce mutants, 867
Minichromosome, rDNA, *Tetrahymena thermophila* mutants, developmentally programmed maturation, 455
Mitochondria
DNA, potential to form stem-and-loop structures, coding-region duplications, 233
initiation codon mutation in yeast, reduced dosages of genes, ribosomal protein S18, 369
marsupial genome, evolution, placental animals, 243
normal maize genome, second type, 875
Molybdenum cofactor, gene *cinnamon*, homology to *E. coli* cofactor proteins, rat protein gephyrin, 791
Morphogenesis, wing hair, *inturned* function, *Drosophila*, 829
Mouse
agouti locus, genetic instability, 1079
brain, genetic analysis, nucleotide triphosphatase activity, 257
chromosome 4
molecular genetics, *Brown* locus region, 845, 855
Muscle, gene for structure and function, dominant autosomal flightless mutants, *Drosophila melanogaster*, 151
Mutagens, oxidative stress sensitivity, superoxide dismutase null mutants, *Neurospora crassa*, 723
Mutants
conidiation, enhancers, *Aspergillus nidulans*, 79
delay in cell division, poisson-like fluctuation patterns, *Salmonella typhimurium*, 353
dominant autosomal flightless, gene for muscle structure and function, *Drosophila melanogaster*, 151
epidermal growth factor receptor homolog, *Drosophila*, 531
integration-defective IS*10*, intragenic suppression, 343
Om(1A), retrotransposon-induced ectopic expression of *cut*, *Drosophila ananassae*, 165
paramecium, defective response to magnesium, 759
suppressor, *Neurospora crassa*, tolerance of allelic differences and heterokaryon incompatibility locus, 731
Tc5 family of transposable elements, *Caenorhabditis elegans*, 771
yeast, pleiotropic deficiencies, transcriptional activation and repression, 55
Mutations
beneficial and deleterious, evolution of sex, 597
dominant *PNM2*$^-$, *SUP35* gene, yeast, 659
gene for a tRNA, regulator of transcriptional attenuator, *Bacillus subtilis*, 627
load, vegetative reproduction, cytoplasmic inheritance, 311
mitochondrial initiation codon, ribosomal protein S18, yeast, 369
natural selection and, codon bias, genes of *Drosophila*, 1049
rates, reliability of estimates, fluctuation tests, 1139
sin1, female fertility, *Arabidopsis thaliana*, 1101
site-directed, alteration of CAA*X* box of Ste18, yeast, 967
spontaneous rate, superoxide dismutase null mutants, *Neurospora crassa*, 723
suppression of temperature-sensitive growth, *hpr1δ* mutant, yeast, 945
toxin-sensitive transformant of *Cochliobolus heterostrophus*, toxin-deficient mutants, 751
yeast *rev3δ* antimutator and *REV3* dependency, nucleotide excision repair defect, 637
Nasonia vitripennis, sex ratio traits, quantitative genetics, 211
Neuropeptides, *FMRFamide*, 46C chromosomal region, gene in *Drosophila melanogaster*, 121
Neurospora crassa
MT a-1 mating type polypeptide, functional analyses, 715

superoxide dismutase null mutants, oxidative stress sensitivity, response to mutagens, 723
suppressor mutants, tolerance of allelic differences, heterokaryon incompatibility locus, 731
Nucleotides
excision repair defect, *rev3δ* antimutator and *REV3* dependency, yeast, 637
sequence changes, DNA secondary structure formation, *Escherichia coli*, 361
triphosphatase activity, genetic analysis, mouse brain, 257

Oogenesis
encoding of *Drosophila* ribosomal protein S2, *string of pearls*, 1039
molecular genetic analysis, *Drosophila melanogaster* gene *absent/small/homeotic discs1*, 1027
Opossum, marsupial mitochondrial genome, evolution, placental animals, 243
Ovule, female fertility, *sin1* mutation, *Arabidopsis thaliana*, 1101
Oxygen, oxidative stress sensitivity, superoxide dismutase null mutants, *Neurospora crassa*, 723

P elements, local transposition, recombination between duplicated elements, *Drosophila melanogaster*, 551
Paramecium tetraurelia, mutants defective in response to magnesium, 759
Paternity, multiple, effective population sizes, 1147
Pheromone-response pathway Gγ subunit, site-directed mutations, alteration of CAA*X* box of Ste18 in yeast, 967
Phototaxis, Dictyostelium slug mutants, genetic analysis, 977
Phytophthora infestans, quantitative resistance in potato, 67
Pig, genome, primary linkage map, low rate of recombination, 1089
Placopecten magellanicus, 221
Plasmid-mediated induction of recombination, yeast, 41
Pneumocystis carinii, gene encoding actin I, phylogenetic analysis, 743
Poisson-like fluctuation patterns of revertants, leucine auxotrophy, *Salmonella typhimurium*, 353
Pollen, γ-irradiation, isolation of deficiencies, *Arabidopsis* genome, 1111
Polymerase chain reaction, mapping germline sequences, *Tetrahymena thermophila*, 95
Polymorphism, alcohol dehydrogenase, carbon-13 fluxes, epistasis and natural selection in *Drosophila*, 1071
Polymorphisms, restriction fragment length
allozyme heterozygosities, growth rate in scallop, 221
multiple alleles for tuber shape, diploid potato, 303
Polypeptides, MT a-1 type, functional analyses, *Neurospora crassa*, 715
Polyploids, *Caenorhabditis elegans*, sex determination, 467
Polytene, chromosome subdivisions 72AB, *brahma* gene, *Drosophila melanogaster*, 803
Population
effective sizes, multiple paternity, 1147
growing and stable, linkage disequilibrium, 331
microbial evolution, simple unstructured environment, differentiation in *Escherichia coli*, 903
natural, transposable element numbers in cosmopolitan inversions, *Drosophila melanogaster*, 815
shared sequence variants of *Mus spretus*, dispersal to within last 1 million years, 565
Position effect variegation, suppression in *Drosophila melanogaster*, *Weakner of white* gene, 1057
Potato
diploid, multiple alleles for tuber shape, RFLPs, 303
resistance to *Phytophthora infestans*, QTL mapping, 67
Promoters, *SPT8* gene, acidic protein, SPT3 and TATA-binding protein in yeast, 647
Proteins, two different, *lin-15* locus, *Caenorhabditis elegans*, 987

Quantitative trait loci
gene product variation, regulation of genome expression, 289
mapping and maximum likelihood methodology, milk protein genes as genetic markers, dairy cattle, 267

Radiation-induced *Brown* deletions, mouse chromosome 4, 845
Rearrangement, construction of chromosomal rearrangements, transduction, *Salmonella typhimurium*, 919
Receptors, epidermal growth factor, homolog, *Drosophila*, 531
Recombination
construction of chromosomal rearrangements, transduction, *Salmonella typhimurium*, 919
duplicated elements, local transposition of *P* elements, *Drosophila melanogaster*, 551
frequency estimates, robustness, intercrosses with dominant markers, 589
genetic, mismatch repair and, yeast, 19
hotspot, gene conversion at *HIS2* gene, yeast, 5
low rate, primary linkage map, porcine genome, 1089
plasmid-mediated induction, yeast, 41
RAD1 RAD52-independent, unrepaired heteroduplex DNA, yeast, 393

spontaneous, long-tract mitotic gene conversion, yeast, 439
Replication, normal and DNA damage-indicible, role of *ruvA/ruvC/recG* genes, *Escherichia coli*, 895
Reproduction
evolution of sex, beneficial and deleterious mutations, 597
hybrid male sterility, complex epistasis, *Drosophila simulans* Clade, 175
vegetative, cytoplasmic inheritance, mutation load, 311
Retrotransposon-induced ectopic expression of *cut*, *Om(1A)* mutant, *Drosophila ananassae*, 165
Reversion, genetic instability, *agouti* locus of mouse, 1079
Ribosomes
dominant *PNM2*$^-$ mutation, *SUP35* gene, yeast, 659
Drosophila protein S2, *string of pearls*, oogenesis, 1039
protein S18, reduced dosage of genes, codon mutation in yeast, 369
RNA
helicase homolog Prp16 and spliceosomal snRNAs, candidate ligands and genetic interactions, yeast, 677
messenger
bicoid, localization, conservation among *Drosophila* species, 521
pre-mRNA splicing, autoregulation, *suppressor-of-white-apricot* gene in *Drosophila*, 139
transcriptional, gene mutations, regulator of transcriptional attenuator, *Bacillus subtilis*, 627

S2, *Drosophila* ribosomal protein, *string of pearls*, *minute*-like characteristics, 1039
Saccharomyces cerevisiae, 5, 19, 41, 49, 55, 369, 381, 393, 407, 423, 637, 647, 659, 671, 677, 689, 933, 945, 957, 967
Salmonella typhimurium, 353, 919
Scallop, growth rate, allozyme and RFLP heterozygosities, 221
Schizophyllum commune, mapping of heterogeneous DNA region, Aα mating-type specificities, 709
Schizosaccharomyces pombe, analysis of interference, 701
Selection, natural
alcohol dehydrogenase polymorphism and carbon-13 fluxes, *Drosophila*, 1071
effects of mutation, codon bias in genes of *Drosophila*, 1049
Self-incompatibility, locus, gametophyte, gene and allelic genealogies, 1157
Sex, evolution, beneficial and deleterious mutations, 597
Sex determination, polyploids of *Caenorhabditis elegans*, 467
Sex ratio, traits in *Nasonia vitripennis*, quantitative genetics, 211
Sheep, linkage mapping, parental half-sib families, 573
Speciation, microbial evolution, simple unstructured environment, differentiation in *Escherichia coli*, 903
Sterility
hybrid female, conspecific chromosomes, *Drosophila simulans* Clade, 191
hybrid male, complex epistasis, *Drosophila simulans* Clade, 175
Superoxide dismutase, null mutants of *Neurospora crassa*, oxidative stress sensitivity, response to mutagens, 723
Synapsis, homologous, relationship to crossing over, maize inversion, 281

Temperature, sensitivity, repair of DNA double-strand breaks, yeast *RAD52* alleles, 933
Tetrahymena thermophila, mutants defective in developmentally programmed maturation, maintenance, rDNA minichromosome, 455
Toxin-sensitive transformant of *Cochliobolus heterostrophus*, toxin-deficient mutants, 751
Transcription, activation and repression, yeast mutant with pleiotropic deficiencies, 55
Transposable elements
dispersed family of repetitive DNA sequences, *Lycopersicon*, 581
numbers in cosmopolitan inversions, natural population, *Drosophila melanogaster*, 815
Tc5 family, *Caenorhabditis elegans*, 771
Transposon
integration-defective IS*10* mutants, intragenic suppression, 343
shared sequence variants of *Mus spretus*, dispersal to within last 1 million years, 565
Triphosphate, nucleotide, genetic analysis, mouse brain, 257
α-Tubulin, mutations that arrest with excess microtubules, overexpression of yeast homologs, *RCC1*, 381
Tyrosine kinase, negative regulator of signaling pathway, *lin-15* locus, *Caenorhabditis elegans*, 987

Vertebrates, transparent, genetic images, 339

Wheat, ancestral species, molecular variation, chloroplast DNA regions, 883

Yeast
brefeldin A-induced lethality, *BFR1*, 423
dominant *PNM2*$^-$ mutation, missense mutation in *SUP35* gene, 659
fission, analysis of interference, 701

high-copy suppression of glucose transport defects, *HXT4* and regulatory elements, *HXT* genes, 957
hpr1δ mutant, mutations that suppress temperature-sensitive growth, 945
long-tract mitotic gene, triparental contribution, 439
maintenance of non-Mendelian determinant, *SUP35* gene, 671
microtubule organizing center, interactions between *CDC31* and *KAR1*, 407
mig1 and *ssn* mutations, synergistic release, glucose repression, 49
mismatch repair and genetic recombination, interaction, 19
mutant with pleiotropic deficiencies, transcriptional activation and repression, 55
overexpression of homologs, *RCC1*, α-tubulin mutations that arrest with excess microtubules, 381
RAD52 alleles, temperature sensitivity, repair of DNA double-strand breaks, 933
recombination, plasmid-mediated induction, 41
recombination hotspot, gene conversion at *HIS2* gene, 5
reduced dosages of genes, ribosomal protein S18, codon mutation, 369
rev3δ antimutator and *REV3* dependency, defect in nucleotide excision repair, 637
RNA helicase homolog Prp16 and spliceosomal snRNAs, candidate ligands, genetic interactions, 677
SIP1, catabolite repression-specific negative regulator, *GAL* gene expression, 689
site-directed mutations, alteration of CAA*X* box of Ste18, Gγ subunit, 967
SPT8 gene, acidic protein, SPT3 and TATA-binding protein, 647
unrepaired heteroduplex DNA, *RAD1 RAD52*-independent recombination, 393